



USER DOCUMENTATION (ALEPHINO 4.0)

How to customize the OPAC

Table of contents


1 GENERAL.....	4
1.1 HOW CAN I CUSTOMISE THE START SCREEN?.....	5
1.2 HOW CAN I CUSTOMISE THE SEARCH MASKS?.....	6
1.3 HOW CAN I CUSTOMISE THE FULL FORMAT?.....	11
1.4 HOW CAN I REMOVE THE HOLD REQUEST FUNCTION FROM THE HOLDINGS LIST?.....	14

1 General

1. Customising the Web OPAC requires an adequate knowledge in Html (HyperText Markup Language). If you don't know Html so well, we recommend leaving the Web OPAC files as they are. In case of incorrect changes in the Html files, we cannot guarantee smooth operation of the OPAC.
2. The Alephino web pages all have the file ending **.htt** (for HyperTextTemplate). This way, the files can be edited more comfortably under Windows after assigning a program for editing files of this type. The pages are mostly not complete html pages but only fragments. An overview over all pages can be found at the end of this document.
3. If a file filename_P.htt exists -where P is the one-digit code of the current database- this file is used taking priority over the corresponding basic page filename.htt. This way it is possible to design individual pages for each database.
4. The files of the Web OPAC are located each in the directory *../htdocs/alipac_ger* for the German user interface, *../htdocs/alipac_eng* for the English user interface and *../htdocs/alipac_fre* for the French user interface. Changes should always be done in all languages. The configuration file of the Web OPAC is called *alipac.cfg* and is located in the directory *../etc*.
5. Changes in files in the directory *../htdocs* are effective after reaccessing the Web OPAC (or clicking on button Refresh in the browser).
To activate changes in files in the directory *../etc*, the Alephino server must be restarted.
6. The files should by no means be edited with an Html editor but only with a text editor, e.g. Wordpad or Notepad, as the pages are mostly only incomplete fragments and also contain non-Html elements like parameters which are vital for operating the OPAC.
7. After changing the files, your installation differs from the standard version. The changes must be maintained manually by the customer after upgrading to higher a version or installing an update. For this, we suggest the following procedure:
 - backup your customised files in a separate directory
 - document which changes you have made

This way you can always reconstruct which changes you have made in which files and then maintain these changes after an Update installation if necessary.
When there is a new release, the documentation always contains a list of files which are taken over when using the "Update installation" mode instead of "New installation" when installing the new release. All other files will be overwritten. Changes which were done in these files, must then be done again manually in the new file again. You must never simply copy your old customised files into the new release and overwrite its new files!

1.1 How can I customise the start screen?



The screenshot shows the top navigation bar of the ExLibris website. On the left is the 'Alephino ExLibris' logo. To its right is a menu titled 'The Alephino library' with options: 'Finish session Search', 'Borrower card Systematics', 'Options Scan list', 'Databases Result list', 'Feedback Search history', and 'Help Basket'. Below this is a secondary menu with search options: 'Simple search', 'Multi-field', 'Multi-base', 'Complex search', and 'Expert-CCL'. The 'Simple search' section is expanded, showing a search input field with the text 'Enter a word or a string of words', a 'Search aspect' dropdown menu set to 'All fields', and a 'Words adjacent?' section with radio buttons for 'no' (selected) and 'yes'. At the bottom of this section are 'OK' and 'Discard' buttons.

Different logo

- To replace the Alephino logo by your own logo, please copy the file with the new logo into the directory `../htdocs/alipac_<lng>/icon` and edit the files `menu.htt` and `menu-bor.htt` as follows:

```
<!-- File: menu.htt -->

<a href="http://www.exlibris.co.il/international.php?newlang=German">
  
..
```

Replace `alephino-logo.gif` with your file name. maybe you have to adapt the dimension of the logo with `width="200px"`.

Display catalog name instead of „Library“

- To display the name of your catalogue in the Web OPAC where it in the standard says "The Library", please edit the file `../etc/alipac.cfg`, section (NamesENG) for the English user interface, (NamesGER) for the German user interface and (NamesFRE) for the French user interface.

```
..
(NamesENG)
M-TIT = The Library          << change e.g. into „OPAC of the ...”
..
```

Remove functions

- To remove e.g. the functions "Sign-in", "End session" and "Systematic Search" from the top and the bottom part of the start screen, please comment the relevant lines out with `<!--` and `-->`:

The files are called `../htdocs/alipac_<lng>/menue.htt` (for borrowers who logged in) and `menue-bor.htt` (for borrowers who didn't log in).

```
..
<!--
</td>
<td class="mainmenu" valign="middle" width="15%" align="center" nowrap>
  <a href="%&server_session/bor-info" class="blue"
  title="Log in to get access to borrower account">
```

Borrower card
</td>

-->

..

1.2 How can I customise the search masks?

Basic Search

The screenshot shows the top navigation bar of the Alephino ExLibris system. On the left is the logo with 'Alephino' in orange and 'ExLibris' in blue. To the right of the logo are several menu items: 'Finish session Search', 'Borrower card Systematics', 'Options Scan list', 'Databases Result list', 'Feedback Search history', and 'Help Basket'. Further right are three flags (Germany, France, Brazil) and the text 'The Alephino library'. Below the navigation bar is a horizontal menu with options: 'Simple search', 'Multi-field', 'Multi-base', 'Complex search', and 'Expert-CCL'.

Simple search

The screenshot shows the 'Simple search' mask. It has a text input field for 'Enter a word or a string of words'. Below it is a 'Search aspect' dropdown menu set to 'All fields'. Underneath is a 'Words adjacent?' section with two radio buttons: 'no' (which is selected) and 'yes'. At the bottom are 'OK' and 'Discard' buttons.

Scan list

This screenshot is identical to the one above, showing the top navigation bar and the 'Simple search' mask.

Browse an alphabetical index

The screenshot shows the 'Browse an alphabetical index' mask. It features a text input field for 'Enter a word or phrase'. Below it is a 'Choose a scan list to browse' dropdown menu set to 'Title keyword'. At the bottom are 'OK' and 'Discard' buttons.

Modify



This screenshot is identical to the one above, showing the top navigation bar and the 'Simple search' mask.

Modify result list

Modify your search results by adding search aspects.

The screenshot shows the 'Modify result list' mask, divided into three steps. Step 1: 'Select a boolean operator to expand your search query with. AND or NOT will limit your search results; by use of the OR operator the number of search results might be extended.' It has three radio buttons: 'AND' (selected), 'OR', and 'NOT'. Step 2: 'Select a search aspect and add a search word.' It has a 'Search aspects' dropdown menu set to 'All fields' and a text input field for 'Enter a word or phrase.'. Step 3: 'Click on' followed by 'OK' and 'Discard' buttons.

Complex Search

Alephino  The Alephino library 
ExLibris Finish session Search Borrower card Systematics Options Scan list Databases Result list Feedback Search history Help Basket



Simple search | Multi-field | Multi-base | Complex search | Expert-CCL

Complex search

Search aspect	Enter one ore more words	Words adjacent?
All fields <input type="button" value="v"/>	<input type="text"/>	<input checked="" type="radio"/> no <input type="radio"/> yes
All fields <input type="button" value="v"/>	<input type="text"/>	<input checked="" type="radio"/> no <input type="radio"/> yes
All fields <input type="button" value="v"/>	<input type="text"/>	<input checked="" type="radio"/> no <input type="radio"/> yes

or

Multi-base Search

Alephino  The Alephino library 
ExLibris Finish session Search Borrower card Systematics Options Scan list Databases Result list Feedback Search history Help Basket

Simple search | Multi-field | Multi-base | Complex search | Expert-CCL

Search multiple databases simulaneously

Search aspect	Enter one or more words
All fields <input type="button" value="v"/>	<input type="text"/>
All fields <input type="button" value="v"/>	<input type="text"/>
All fields <input type="button" value="v"/>	<input type="text"/>



Words adjacent? no yes

Select databases to search:

The Alephino library

or

Systematic Search

Alephino  The Alephino library 
ExLibris Finish session Search Borrower card Systematics Options Scan list Databases Result list Feedback Search history Help Basket

Search the systematics

Enter a word or phrase

Select a list to browse Personal names

or

Different search aspects (Bibliographic search: basic, browse, advanced, refine, multibase ; Systematic search)

- To add, replace or remove search aspects in the Bibliographic search in the Basic Search, the Complex Search, the Multi-base Search, the Scan list search, when refining a list or in the Systematic search for classifications/thesaurus/subjects, please edit the file `../etc/alipac.cfg`, section (SearchTerms):

```
..  
(SearchTerms)  
FIND = WRD, TIT, NAM, SUB, PER, COR, MEE, SCO, SME, TOT, GEO, PUB, YEA, SRS, TRM, ISN << *  
SCAN = TIT, PER, COR, MEE, SPE, SCO, SME, TOT, GEO, PUB, PLA, YEA, SRS, ISN << **
```

```
REFINE = WRD, TIT, PER, COR, MEE, SPE, SCO, SME, TOP, GEO, PUB, PLA, YEA, SRS, ISN << ***
AUTOTRUNC = PER, COR, PUB
SYSIDX = PER:SUB, COR:SUB, MEE:SUB, TIT:SUB, SCT:SUB, TOT:SUB, .. << syst. search
..
```

* basic/complex/multi-base

** scan list search

*** modify

Note: the parameter AUTOTRUNC is used to automatically truncate the search aspects (authors, corporations etc.).

Search aspects that you don't want to offer to the users, can be simply be removed.

If you want to add new search aspects or replace not required search aspects by other search aspects, please add resp. replace the code in the relevant line. In the systematic search you need to specify the master file and the search aspect, e.g. TRM:THS (=search aspect TRM of the thesaurus master file). A list of all codes can be found under "[command language](#)" in the help for CCL search in the GUI search module.

Also, the new search aspect needs a name for the Web OPAC. For this, please add the code and its name in the sections (NamesENG), Names(FRE) and (NamesGER).

```
..
(NamesENG)
M-TIT = The library
Z-MRC = Z39.50-MARC
TIT = Title keyword
NAM = All names
SUB = All subjects
PER = Personal names
COR = Corporate names
MEE = Meeting names
SPE = Subject/personal name
SCO = Subject/corporate name
SME = Subject/meeting name
TOT = Subject/topical term
GEO = Subject/geogr. term
PUB = Publisher
PLA = Publication place
YEA = Publication year
SRS = Series
ISN = ISBN/ISSN
TRM = Term
TOP = Top term
NOT = Notation
WRD = All fields
*
PER:SUB = Personal names
COR:SUB = Corporate names
MEE:SUB = Meeting names
```

TIT:SUB = Uniform title
SCT:SUB = Chronological terms
TOT:SUB = Topical terms
GEO:SUB = Geographical terms
GEN:SUB = Genre / Form terms
TRM:THS = Thesaurus Term
NOT:THS = Thesaurus Notation
TOP:THS = Thesaurus Top Terms
TRM:PER = Persons Terms
NOT:PER = Persons Notation
TRM:ORT = Places Terms
NOT:ORT = Places-Notation
TRM:LND = Countries Terms
NOT:LND = Countries Notation
TRM:MAT = Materials Terms
NOT:MAT = Materials Notation
TRM:ZTR = Time Periods Terms
NOT:ZTR = Time Periods Notation

..

Different search aspects (Bibliographic search: CCL)

- In the CCL search all defined search aspects are available. To add explanations for further search aspects to the most common abbreviations used by the Alephino command language for MARC, please edit the file `../htdoc/alipac.<lng>/ccl-hints.htt`

..

Subsequently you'll find the abbreviations for most common search aspects. A complete list is present in help menu, chapter `CCL command language`.

`
`

`TIT` = Words from titles --
`NAM` = Words from authors --
`SUB` = Words from headings --
`PUB` = Words from publisher --
`PLA` = Words from publishing places --
`YEA` = Year of publication --
`ISN` = ISBN / ISSN / ISMN / ISRN

..

Multi-field search

<input type="button" value="OK"/> or <input type="button" value="Discard"/>	
Word from title	<input type="text"/> <input type="button" value="Scan list"/>
Subject (topical term)	<input type="text"/> <input type="button" value="Scan list"/>
Author	<input type="text"/> <input type="button" value="Scan list"/>
Corporate body	<input type="text"/> <input type="button" value="Scan list"/>
Series title	<input type="text"/> <input type="button" value="Scan list"/>
Publisher	<input type="text"/> <input type="button" value="Scan list"/>
Publishing place	<input type="text"/> <input type="button" value="Scan list"/>
Year of publication	<input type="text"/> <input type="button" value="Scan list"/>
Words adjacent?	<input checked="" type="radio"/> no <input type="radio"/> yes
<input type="button" value="OK"/> or <input type="button" value="Discard"/>	

Different search aspects (Bibliographic search: Multi-field search)

- To add, replace or remove search aspects in the Bibliographic search in the Multi-field search, please edit the file `../htdocs/alipac_<lng>/find-fix-form.htt`.

Example: Replace search aspect Subject by ISBN.

```

..
<tr>
  <td class="td2" valign=top nowrap>
    Subject (topical term)                << change into ISBN
  </td>
  <td class="td2" id="small">
    <input type="hidden" size=3 name="O2" value="AND">
    <input type="hidden" size=6 name="F2" value="TOI"> << change into ISN
    <input size=50 name="V2" value="$0002">
    <input type="submit" name="S2" value="Scan list">
  </td>
</tr>
..

```

1.3 How can I customise the full format?


The full view in the Web-OPAC

Full view of title

Record 1 of 30

◀ Previous Record

Next Record ▶

Personal name	Boughton, James M.
Main Title	Silent revolution. The International Monetary Fund 1979-1989
Imprint	IMF : Washinton D.C., 2001
Physical description	xxvii, 1111p.
General note	The 1980s were a tumultuous period when the IMF came of age as a participant in global financial markets and as a development partner for emerging economies. This book is a history of the world economy during that period, as well as of the institution. It provides indispensable background for anyone seeking to understand how the IMF later responded to the financial crises of the 1990s and its role today in the world's response to the global economic effects of terrorism. This latest history includes citations to hundreds of internal documents that are now, as a result of the IMF's new transparency policy, open to outside researchers. It is an insider but personal history of the period, and everything in it is open to verification. It describes the internal workings of the IMF - not just what decisions it made, but how and why it made them. Before the manuscript was finalized it was reviewed by a distinguished panel of outside experts. (Fourth in a sequence of histories of the IMF)
Bibliography, etc. note	Includes bibliographic references and index
Subject-Topical term	International finance history ◊
ISBN	1-55775-971-5
URL Link	http://www.corteidh.or.cr/tablas/ 
No. items	1

◀ Previous Record

Next Record ▶

uses an own format. This format can be modified without affecting the full view in the GUI Search module. Please edit the file `../etc/marcform.ext`, section (titwww).

```
..
(titwww)
..
*TAG=045,NAME=011045,SUB=subabc
*TAG=046,NAME=011046,TEXT='6abcdejklmn28'
*TAG=047,NAME=011047$a,TEXT='a8'
*TAG=048,NAME=011048,TEXT='ab8'
TAG=050,NAME=011050,TEXT='6ab38'
TAG=051,NAME=011051,TEXT='abc8'
TAG=052,NAME=011052,TEXT='6abd28'
TAG=055,NAME=011055,TEXT='6ab28'
TAG=060,NAME=011060,TEXT='ab8'
TAG=061,NAME=011061,TEXT='abc8'
TAG=066,NAME=011066,TEXT='abc'
TAG=070,NAME=011070,TEXT='ab8'
TAG=071,NAME=011071,TEXT='abc8'
..
```

You can deactivate lines with a * at the beginning. To activate a deactivated line, simply remove the *.

To find out the tag number of the field that you want to add resp. remove, please look at the record in the Tags format.

- How can I display only a selected part of my database in the OPAC?

If you wish to display a selection of your title records in the OPAC, you can do it by narrowing the displayed titles via a search query using title or item search aspects.

You can setup the limited display in addition to or instead of your complete database.

If you want to display the selected titles instead of the complete database, you must change the database code in the file `../etc/alipac.cfg` from M-TIT to e.g. M-TIX.

If you want to display the selected titles in addition to the complete database, you must add the database code e.g. M-TIX in the file `../etc/alipac.cfg` as described below.

Example: You want to setup an additional „virtual database“ which contains only material on a specific subject area. As you have classified all your records via the DDC number in field 082, this number can now be used to retrieve the records via the search aspect DDC. This search query is then used by a parameter called **FILTER** to display only the selected titles (in our example e.g. `Filter='ddc=630*'`).

Please edit the following files:

- `../etc/marcfile.ext`

* Virtual database using a filter

*

```
FILE=TIX,DEFIN=011,INDEX=titindex,LINK=titlnk,LOCATE=titloc,SFX=titsfx,  
FILTER='DDC=630*',FORM=TIT
```

Please note that entries which are longer than one line must be start in the next line with 3 blanks in front so that the system knows that this line is not a new entry but still part of the entry in the previous line.

- `../etc/alipac.cfg`

In order to search the database in the OPAC, the database code e.g. M-TIX must be added to the configuration file of the OPAC, section (Libraries).

```
(Libraries)  
M-TIT = localhost:2069  
M-TIX = localhost:2069 << add line
```

The parameter Library in the section (Common) defines which database is the default database when calling up the OPAC.

```
(Common)  
Library = M-TIT << if you want the new database to be the default  
database,
```

change the code to M-TIX

In the section (Names<LNG>) the database is assigned a name. Add line for each language GER, ENG and FRE:

(NamesENG)

M-TIT = Library local

M-TIX = Material on Agriculture << add line

..

1.4 How can I remove the Hold request function from the Holdings list?

Item request (Serial issues) – button „Hold request’ in front of each item

[000002116]
 Journal on interesting subjects

Filter by: Volume all Year all

List of items Previous Page Next Page

	Location	Description	Collection	Barcode	Status	Due at	Hold req.	Note
Hold request		Volume 2(2006), Issue 3			On order			
Hold request		Volume 2(2006), Issue 4			On order			
Hold request		Volume 1(2005), Issue 1			loanable			
Hold request		Volume 1(2005), Issue 2			loanable			
Hold request		Volume 2(2006), Issue 1			loanable			
Hold request		Volume 2(2006), Issue 2			loanable			
Hold request		Volume 1(2005), Issue 3			loanable			
Hold request		Volume 1(2005), Issue 4			loanable			

Previous Page Next Page

Title request – button „Hold request“ at the head of the list

[000002081]
 Boughton, James M.
 Silent revolution. The International Monetary Fund 1979-1989 IMF : Washinton D.C., 2001
 ISBN 1-55775-971-5
 Includes bibliographic references and index

Items list Hold request Previous Page Next Page

	Location	Description	Collection	Barcode	Status	Due at	Hold req.	Note
	130.3/BOU.1				loaned	07/06/2006		
	130.3/BOU.2				loanable			

Previous Page Next Page

- To remove the Hold request function from the Holdings list, simply set the parameter HoldRequest in the file `../etc/alipac.cfg` to N:

```

..
(Permissions)
UserInfo = Y
HoldRequest = Y           << set to N
HoldDelete = Y
..
  
```

After restarting the Alephino server, the Hold Request buttons are not displayed anymore.

- How can I customize the preset sort in Alephino?

You can define a preset sort for the display of the bibliographic records in short list. The parameter PRESORT can be used for "year accordingly title(descending)", "Author accordingly title" or "title accordingly year".

```
File ../etc/alipac.cfg
PRESORT = Year
```

The entry „year“ belongs to the following sorts:

```
(SortENG)
Year = -1,4 "; sorted by year, title (descending) "
Author = 3,4 "; sorted by author, title"
Title = 4,1 "; sorted by title, year"
```

Please note that there is a limit for the sorting of records (parameter MaxSort in paragraph (Webapp)). In the standard, this parameter is set to 300, which means that up to 300 records are sorted. It is possible to set the limit to a higher number of records but you have to be careful. When the limit is too high, the sorting takes a long time and might lead to a time out.

- How can I display covers in Alephino?

The OPAC can display linked pictures, e.g. cover, in full format and in catalog card display. Use tag COV in catalog record with an url. The url can be an internet link or a file in file system on the server.

Leader	<u>LDR</u>	----	nam--22-----u-4500
Control No.	<u>001</u>	---	000015741
Entry date	<u>002</u>	---	20100301
Date and Time	<u>005</u>	---	20100301122541
Fixed Data	<u>008</u>	---	100301s1000-----r-----000-0-eng-d
ISBN	<u>020</u>	---	a 978-0593054277
Personal Name	<u>100</u>	<u>1</u>	L 000002297
			a Brown, Dan
Main Title	<u>245</u>	<u>1</u>	a The lost symbol
Imprint	<u>260</u>	---	a New York
			b Bantam Books
			c 2009
Book cover	<u>COV</u>	---	http://welikey.files.wordpress.com/2009/09/uk-lost-symbol_113261t.jpg
Language (008)	<u>LANG</u>	---	eng

Record:
Add to basket | Save/Mail |

Display format:
Standard | Category numbers | Catalog card

Full view of title

Record 1 of 1 ◀ Previous Record Next Record ▶

Book cover

Personal name	Brown, Dan
Main Title	The lost symbol
Imprint	New York Bantam Books 2009
ISBN	978-0593054277

◀ Previous Record Next Record ▶

Appendix: Overview over the pages of the Alephino Web OPAC Version 4.0

Note:

"Complete page" means that the file contains the complete frame of an html document, i.e. at minimum the <html> and as well as the <head> und the <body> tag are symmetrically there.

Almost all pages though use further files by <include> .

File name	Complete page	Function
base-list.htt	Yes	Selecting the database
basket-close.htt	No	Basket short list bottom of page
basket-mail.htt	Yes	Save/Mail basket content
basket-menu.htt	No	Submenue basket functions
basket-note.htt	Yes	Enter note for basket entry
basket-open.htt	No	Basket short list top of page
basket-order-form.htt	Yes	Output form for ordering documents via the basket (not active in the standard)
basket-order.htt	Yes	Input form for ordering documents via the basket (not active in the standard)
basket-table-row.htt	No	Single line in basket list
bor-address.htt	Yes	Change borrower address
bor-cashlist-close.htt	No	Cash list bottom of page
bor-cashlist-head.htt	No	Cash list head of table
bor-cashlist-open.htt	No	Cash list top of page
bor-cashlist-row.htt	No	Single line in cash list
bor-chgpass.htt	Yes	Change borrower PIN code
bor-emptylist.htt	No	Empty list (loans/hold requests/cash)
bor-holdlist-close.htt	No	Hold request list bottom of page
bor-holdlist-head.htt	No	Hold request list head of table
bor-holdlist-open.htt	No	Hold request list top of page
bor-holdlist-row.htt	No	Single line in hold request list
bor-loanlist-close.htt	No	Loan list bottom of page
bor-loanlist-head.htt	No	Loan list head of table

bor-loanlist-open.htt	No	Loan list top of page
bor-loanlist-row.htt	No	Single line in loan list
bor-sdilst-close.htt	No	Search profile list bottom of page
bor-sdilst-head.htt	No	Search profile list head of table
bor-sdilst-open.htt	No	Search profile list top of page
bor-sdilst-row.htt	No	Single line in search profile list
bor-verify.htt	Yes	Login to borrower card
borinfo-close.htt	No	Borrower card overview bottom of page
borinfo-menu.htt	No	Submenue borrower card functions
borinfo-open.htt	No	Borrower card overview top of page
borinfo-table-row.htt	No	Single line in full view of borrower record in borrower card
bye.htt	Yes	Restart after finishing the session
ccl-hints.htt	No	Hints for CCL search
check-query.htt	No	"Check search query" at the bottom of the result list
copyrights.htt	No	Copyright note at the bottom of all OPAC pages
end-session.htt	Yes	Note before "Finish session"
error.htt	Yes	"Hard error" when a message referring to previous action cannot be displayed due to e.g. server crash or error in Web page etc.
feedback.htt	Yes	Form for e-mail to the library
filter-keyword.htt	Yes	Filter result list by keyword
filter-mdate.htt	Yes	Filter result list by update date
filter-textrange.htt	Yes	Filter result list by text range
filter-year.htt	Yes	Filter result list by publication year
find-ccl-form.htt	No	Input mask for CCL query (expert search)
find-ccl.htt	Yes	CCL query (expert search)
find-complex-form.htt	No	Input mask for complex search
find-complex-result-form.htt	No	Input mask for complex search after reply from server (including display of results)
find-complex-result.htt	Yes	Complex search after reply from server (including display of results)
find-complex.htt	Yes	Complex search
find-fix-form.htt	No	Input mask for multi-field search

find-fix.htt	Yes	Multi-field search
find-methods.htt	No	Submenu with search variations
find-multibase-form.htt	No	Input mask for multi-base search
find-multibase.htt	Yes	Multi-base search
find-simple-form.htt	No	Input mask for simple search
find-simple.htt	Yes	Simple search
full-close.htt	No	Full view of title from list - bottom of page
full-hints.htt	No	Hints for full view of title
full-mail.htt	Yes	Save/Mail from full view of title
full-menu.htt	No	Submenu with functions for full view of title
full-navigate-foot.htt	No	Navigation bar in page foot of full view of title
full-navigate-head.htt	No	Navigation bar in page head of full view of title
full-open.htt	No	Full view of title from list - top of page
full-record-close.htt	No	Full view of title via unique link - bottom of page
full-record-menu.htt	No	Submenu with functions for full view via unique link
full-record-open.htt	No	Full view of title via unique link - top of page
full-table-row-001.htt	No	Single line in full view of title in standard format
full-table-row-002.htt	No	Single line in full view of title in category numbers format
full-table-row-003.htt	No	Single line in full view of title in catalog card format
help-content.htt	No	Help texts for Web OPAC
help-menu.htt	No	Navigation bar for Web OPAC help
help.htt	Yes	Help for Web OPAC
history-close.htt	No	Search history - bottom of page
history-cross-close.htt	No	Cross result sets from search history - bottom of page
history-cross-form.htt	No	Input mask cross result sets from search history
history-cross-open.htt	No	Cross result sets from search history - top of page
history-cross-row.htt	No	Single line in list of available sets for crossing
history-hints.htt	No	Hints for search history
history-menu.htt	No	Submenu with functions for search history
history-open.htt	No	Search history - top of page
history-table-row.htt	No	Single line in search history list
hold-detail.htt	Yes	Display of hold request details

holdreq-errors.htt	No	Display of error message for hold request in items list
holdreq-form.htt	No	Input mask for placing a hold request
itemdetail-close.htt	No	Display of item details in items list - bottom of page
itemdetail-open.htt	No	Display of item details in items list - Top of page
itemdetail-splitter.htt	No	Display of details in items list – link between full view of title and item list
itemdetail-table-row.htt	No	Single line in display of item details in items list
itemlist-bib-row.htt	No	Single line in display of full of title in items list
itemlist-close.htt	No	Items list - bottom of page
itemlist-filter-splitter.htt	No	Items list - link between full view of title and item list with filter bar for volume and year
itemlist-open.htt	No	Items list - top of page
itemlist-splitter.htt	No	Items list - link between full view of title and item list
itemlist-table-head.htt	No	Table header of list of items in items list
itemlist-table-row.htt	No	Single line in list of items in items list
jscalendar.htt	No	Calendar function (Java Script)
loan-detail.htt	Yes	Display of loan details
menu-bor.htt	No	Main menu of OPAC after login
menu.htt	No	Main menu of OPAC without login
menu_Z.htt	No	Main menu of OPAC with reduced functionalities for Z39.50 databases
meta-tags.htt	No	Meta tags for the HEAD section of all OPAC pages
option-display-form.htt	No	Inputmask for adjustments for result list display
option-display.htt	Yes	Adjustments for result list display
option-lang-form.htt	No	Input mask for language options
option-lang.htt	Yes	Language options
option-menu.htt	No	Submenu for options
refine.htt	Yes	Modify result list
renewal-errors.htt	No	Display of error message for renewal
require-entry.htt	No	Java script for checking queries in the systematic search
restart.htt	Yes	Restart OPAC when session key is invalid or expired
save-mail-form.htt	No	Input mask for "Save/Mail"

scan-close.htt	No	Scan list - bottom of page
scan-form.htt	No	Input mask for scan list
scan-hints.htt	No	Hints for scan list
scan-navigate.htt	No	Navigation bar in scan list
scan-open.htt	No	Scan list - top of page
scan-supp-close.htt	No	Scan list to support a search query - bottom of page
scan-supp-hints.htt	No	Hints for scan list to support a search query
scan-supp-open.htt	No	Scan list to support a search query - top of page
scan-supp-row.htt	No	Single line in scan list to support a search query
scan-table-row.htt	No	Single line in scan list
scan.htt	Yes	Scan list
sdi-form.htt	No	Input mask for search profile
sdi-modify.htt	Yes	Modify search profile
sdi-new.htt	Yes	Create new search profile
search-hints.htt	No	Hints for simple, complex and Multi-base search
select-filter.htt	Yes	Selection of filter for result list
self-service-close.htt	No	Self-loan/-return - bottom of page
self-service-form.htt	No	Input mask self-loan/-return
self-service-item-row.htt	No	Single line in display of item details in self-loan/-return
self-service-open.htt	No	Self-loan/-return - top of page
self-service.htt	Yes	Self-loan/-return – start screen
short-close.htt	No	Title list - bottom of page
short-mail.htt	Yes	Save/Mail from title list
short-menu.htt	No	Submenu with functions from title list
short-navigate-foot.htt	No	Navigation bar in foot of title list
short-navigate-head.htt	No	Navigation bar in head of title list
short-open-plus.htt	No	Title list with integrated display of index position - top of page
short-open.htt	No	Title list - top of page
short-plus-index.htt	No	Display of current index position in title list
short-table-head.htt	No	Table header in title list
short-table-row-001.htt	No	Single line in title list with records in full view standard format
short-table-row-003.htt	No	Single line in title list with records in full view catalog card

		format
short-table-row.htm	No	Single line in title list with records in list format
submit-charset.htm	No	Automatic change of character set by RIS-Export
start.htm	Yes	Call up start screen of OPAC
submit-wait.htm	No	Java script for message "Please wait" when Saving/Mailing
sysfull-art.htm	Yes	Full view systematics – artist
sysfull-hints.htm	No	Hints for vull fiew systematics
sysfull-lnd.htm	Yes	Full view systematics - countries
sysfull-mat.htm	Yes	Full view systematics - materials
sysfull-not.htm	Yes	Full view systematics – notations
sysfull-ort.htm	Yes	Full view systematics - places
sysfull-per.htm	Yes	Full view systematics - persons
sysfull-swt.htm	Yes	Full view systematics - subjects
sysfull-table-ths.htm	No	Full view systematic records
sysfull-ths.htm	Yes	Full view systematics - thesaurus
sysfull-ztr.htm	Yes	Full view systematics – time periods
sysix-close.htm	No	Systematic list - bottom of page
sysix-form.htm	No	Input mask aspect/start value systematic list
sysix-hints.htm	No	Hints for systematic list
sysix-navigate-foot.htm	No	Navigation bar in foot of systematic list
sysix-navigate-head.htm	No	Navigation bar in head of systematic list
sysix-open.htm	No	Systematic list - top of page
sysix-table-head.htm	No	Table header in systematic list
sysix-table-row.htm	No	Single line in systematic list
sysix.htm	Yes	Search in the systematics – start screen