

Fixed Problem with the Display of Author Search Boxes in the A-Z Ebook Mobile Interface

For the following file:

File: templates/azlist_ver3/az_mobile.tpl

Find the line:

```
<!--row4 Author-->
```

Just below it add:

```
<TMPL_IF SHOW_AUTHOR_SEARCH>
```

Below that line find first occurrence of:

```
</TMPL_UNLESS>
```

Just below it add:

```
</TMPL_IF>
```

Changed the Broken Link Report UI to Meet Accessibility Standards

For the following file:

templates/css/simplified_template1/brokenlink.css

1. Edit this function. The code is marked in green.
2. Add the red commands.

```
.ExlBrokenLinkPopUp, .ExlRightBrokenLinkPopUp {
z-index: 1000;
width: 350px;
top: 30%;
left: 41%;
display: none;
position: fixed;
background-color: #d0d0d0;
font-size: small;
padding-left:10px;
padding-right:10px;
padding-top: 5px;
padding-bottom: 5px;
}

.ExlRightBrokenLinkPopUp{
direction: rtl;
}

.ExlRightDivBL { width: 100%; float:right; }
.ExlInputDivBL { width: 100%; min-height:24px; }
.ExlCloseBL { float:right; text-decoration: none; }
.ExlLabelBL, .ExlRightLabelBL, .ExlLeftLabelBL { width:45%; }
.ExlRightLabelBL { padding-right:2em; float:right; }
.ExlLeftLabelBL { padding-left:2em; float:left; }
.ExlInputBL { width:45%; max-width:50%; }
    .ExlErrorDivBL { height:35px; display:none; }
    .ExlErrorLabelBL { font-size: x-small; color:red; }
    .ExlRightReportDiv { float:right; font-weight:bold;}
```

```
.ExlLeftReportDiv { float:left; }
.ExlReportBL { text-decoration: none; }
```

```
div:focus { outline: none; }
```

```
fieldset {padding:10px; margin-top:10px; margin-bottom:10px;}
legend {margin: 5px; padding: 5px; }
```

For the following file:

templates/js/sfxmenu/gbs.js

3. Edit this function. The code is marked in green.

```
function showReportBrokenLink ( obj, form_name, reportingIntro,
reportingEmail, labelEmail, labelNote, report, Close,
errorEmailAddress, errorNoteNoEmailAddress, lang, instance) {
    var reportWindow =
document.getElementById('ReportWindow');
    set_element_display_by_id_safe(form_name + '-reportlink-
loading', 'inline');
    if (reportWindow == null) {
        var txt = '<div id="ReportWindow" ' +
                    if ( lang == 'heb' ) { txt
+= ' class="ExlRightBrokenLinkPopUp"> '; } else { txt += '
class="ExlBrokenLinkPopUp"> '; }
                    txt += '<div class="ExlRightDivBL">' +
                        '<a
href="javascript:closeReportWindow();" class="ExlCloseBL" > ' +
                        '</a>' +
                        '</div>' +
                        '<div id="ReportingIntro"
tabIndex="0" >'+ reportingIntro + '<br /><br />' + reportingEmail +
                        '<br /><br /></div>' +
                        '<div
class="ExlInputDivBL" >' +
                        '<label for="id_e-mail" ' +
                        if ( lang == 'heb' ) { txt
+= ' class="ExlRightLabelBL"> '; } else { txt += '
class="ExlLeftLabelBL"> '; }
```

Fixed the Problem with Incorrect Encoding of Special Characters Causing the Article Name to be Broken in the Lexis::Nexis Target Displayer

For the following file:

templates/sfxmenu/services/getFullTxt_NEXIS.tmpl

Find the line:

```
<TD nowrap><label>Article Title: <INPUT TYPE="text" size="30"
NAME="rft.atitle" value="<TMPL_VAR NAME='ATITLE'>" ></label></TD>
```

Replace it with:

```
<TD nowrap><label>Article Title: <INPUT TYPE="text" size="30"
NAME="rft.atitle" value="<TMPL_VAR ESCAPE=HTML NAME='ATITLE'>"
></label></TD>
```

For the following file:

templates/simplified_template1/services/getFullTxt_NEXIS.tpl

Find the line:

```
<TD nowrap><label><TMPL_VAR ESCAPE=HTML NAME='MESSAGE("SFX Menu
Main","Displayer--Article Title")'>: <INPUT TYPE="text" size="30"
NAME="rft.atitle" value="<TMPL_VAR NAME='ATITLE'>" ></label></TD>
```

Replace it with:

```
<TD nowrap><label><TMPL_VAR ESCAPE=HTML NAME='MESSAGE("SFX Menu
Main","Displayer--Article Title")'>: <INPUT TYPE="text" size="30"
NAME="rft.atitle" value="<TMPL_VAR ESCAPE=HTML NAME='ATITLE'>"
></label></TD>
```