

# ExLibris

## SFX

### Release Notes

20162400

### Table of Contents

SP June Highlights

SW Changes


Implementation Instructions

Changed KB Software

New Targets and Target Services

### Highlights

11 targets added



## **SFX SP June 2016 (4.9.0)**

Multi-object Menu enhancements

KBManager enhancements

Dataloader enhancements

Additional enhancements

SSL upgraded to SSL 1.0.1s

### **Target Name Changes**

GALEGROUP\_IT\_GENERAL\_BUSINESS\_FILE\_ASAP changed to: GALEGROUP\_IT\_BUSINESS\_COLLECTION – name and data

CAIRN (all Journals targets): "JOURNALS" was added to target names

CAIRN\_MONOGRAPHS changed to: CAIRN\_EBOOKS\_GENERAL – to better match collection name

### **Targets removed (as announced in the 20162000 revision):**

SPRINGER\_LINK\_BOOKS\_BEHAVIORAL\_SCIENCE\_2016 – collection is obsolete, content is available via existing and new Springer

SPRINGER\_LINK\_BOOKS\_BUSINESS\_AND\_ECONOMICS\_2016 – collection is obsolete, content is available via existing and new

SPRINGER\_LINK\_BOOKS\_HUMANITIES\_AND\_SOCIAL\_SCIENCES\_GERMAN\_2016 – collection is obsolete, content is available via

IEEE\_WILEY\_EBOOKS\_LIBRARY – content available via IEEE\_XPLORE\_WILEY\_EBOOKS\_LIBRARY

## **Applying the Revision**

The following packages are released:

sfx-kbsw-update-20162400.run

sfx-kbdb-update-20162400.run

sfx-sw-update-4.9.0.run

sfx-extra-update-4.9.0.run

For directions on applying the revision, refer to the **SFX KB Update** section of the *SFX General User's Guide*.

# Highlights

## Multi-object Menu Enhancements

The Multi-object Menu was enhanced

- With an option to only show items with full text
- To allow customization of the Multi-object Menu from SFXAdmin

For this purpose we added a new template. This was necessary because this enhancement required extensive changes to the template and we did not want to risk affecting customer localizations. To be able to use the new functionality, switch to the new template (Multi-object menu V.2). To enable you to change to the new template and configure it, a new section was added to **SFX Admin Center > Set-up & Administration > Menu configuration**. For this new template:

1. Wording can be changed via the Translations & Display section in SFX Admin Center.
2. There is an option to initially show only objects with active entitlements. Users do have the option to use the **Expand my results** function on the menu to view the complete list of objects.

Note: For new SFX installations, this option will be active by default. For existing customers, the option will be inactive by default.

## KBManager Enhancements

Target list: A **New** indicator was added to the target list in **SFX Admin Center > KBManager** to identify recently added targets (added in the last 4 revisions applied to the SFX installation). Additionally, a new button was added called **Show New** in the same location as the **Show Active** button to filter the target list by new targets.

Object/ObjecPortfolio view: ISBN13 was added to the KBManager Object and Object portfolio display. ISBN13 is now the preferred ISBN for display, and will be shown in the 'List of Objects' and 'List of Object Portfolio' windows. In the View Object and Edit Object windows, both the ISBN10 and ISBN13 versions are shown.

Institute table: The list of institutes (KBManager > Institute) can now be sorted by column, and a note field was added for each institute and group.

## Dataloader Enhancements

Object load: An option to upload **Place of Publication**, **Publisher Name**, and **Date of Publication** via dataloader when adding or updating local objects was added.

This option is available both via SFXAdmin > Dataloader and via the dataloader command-line interface.

All Dataloader reports (all formats including KBART and Elsevier AutoUpdate) were enhanced to make it easier to identify which portfolios were changed during a load and what type of change was made. To support this, the following columns were added:

1. New object title column placed after the current ID column (ISSN/ISBN)
2. New column with information about the type of portfolio activation change

For each row, the values **Activated**, **Deactivated**, and **No-change** were added to the report.

Note: This dataloader report is also provided for KBART and Elsevier Automated holdings file loading. It makes it easier to identify which portfolios were changed during a load and what type of change was made.

### Additional Enhancements

A Task Manager option was added to run tasks on a specific day in the year, for example, to allow running the offline2file job twice a year. The following frequency parameter can be used to define such dates in the following format:

`specific_dates_<MMM-DD>`

It is possible to specify more than one date by using a comma as a delimiter.

For example: `specific_dates_jan-12,mar-24,may-22`

The task manager was also adapted to display these new types of scheduled tasks in the **Frequency** and **Next Scheduled Run** columns.

2. The INTERFACE\_ID information was added to the MultiObject Detailed XML response for every target included in the XML response. The XML tag used is

`<interface_id>`

3. We added a gzip option for archive files in the Statistics > offline2file task

4. SFX SSL version was upgraded to SSL 1.0.1s

# SW Changes

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	Upgrade to SSL 1.0.1s	Quarterly update of OpenSSL to version 1.0.1s. Nnote that this update requires an extra software package is applied automatically during the Revision Update.		revision_maker/applyextra/extra.conf		SFX-6153

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	Back Office - KBManager	Improve KBManager > Institute section UI. The list of institutes can now be sorted by column, and a note field was added for each insitute and group.	SFX General User's Guide and SFX Advanced User's Guide	dbs/sqltab/INSTITUTE.tab lib/DBLayer/Institute.pm lib/DBLayer/Institute.t sfxadmin/institute.cgi templates/js/admin/institute_setup.js  templates/js/jquery/plugin/jquery.bootgrid- 1.3.0/jquery.bootgrid.localization.css templates/js/util/limit.js  templates/sfxctrl/institute_setup/add.t mpl  templates/sfxctrl/institute_setup/edit.t mpl  templates/sfxctrl/institute_setup/list_he ad.tpl  templates/sfxctrl/institute_setup/list.tm pl  templates/sfxctrl/institute_setup/wnd_h ead.tpl  revision_maker/applsw/patch-pre- 4.9.0-4.pl		SFX-6102

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	Back Office - KBManager	Add a <b>New</b> indication in SFX Admin > KBManager to identify recently added targets (added in the last 4 revisions applied on the SFX installation) that can be activated. Additionally, a new button was added called <b>Show New</b> in the same location as the <b>Show Active</b> button to filter the target list by new targets.	SFX General User's Guide	dbs/sqltab/INSTITUTE.tab lib/DBLayer/Institute.pm lib/DBLayer/Institute.t sfxadmin/institute.cgi templates/js/admin/institute_setup.js  templates/js/jquery/plugin/jquery.bootgrid-1.3.0/jquery.bootgrid.localization.css templates/js/util/limit.js  templates/sfxctrl/institute_setup/add.tpl  templates/sfxctrl/institute_setup/edit.tpl templates/sfxctrl/institute_setup/list_head.tpl  templates/sfxctrl/institute_setup/list.tpl  templates/sfxctrl/institute_setup/wnd_head.tpl  revision_maker/applsw/patch-pre-4.9.0-4.pl		SFX-5975

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	Back Office - KBManager	Add ISBN13 to KBManager Object and Object portfolio display. The ISBN13 is now the preferred ISBN for display and will be shown in the List of Objects and List of Object Portfolio windows. In the View Object and Edit Object windows, both the ISBN10 and ISBN13 versions will be shown.	SFX General User's Guide	lib/Admin/Object.pm lib/Admin/Object/List.pm lib/MetaData/ISBN.pm sfxadmin/search_objects.cgi sfxadmin/portfolio.cgi templates/sfxctrl/object/edit.tpl templates/sfxctrl/object/view.tpl templates/sfxctrl/portfolio/list.tpl		SFX-5971
Enhancement	BO KB Tools - Data Loader	Added an option to upload Place of Publication, Publisher Name, and Date of Publication via dataloader when adding or updating local objects. The option is available both via SFX Admin Center > Dataloader and via the dataloader command-line interface.	SFX General User's Guide and SFX Advanced User's Guide	admin/kbtools/dataloader.pl lib/Admin/Tool/DataLoader.pm lib/Admin/Object.pm admin/kbtools/dataloader.t		SFX-5973
Enhancement	BO KB Tools - Data Loader	The Dataloader report for object portfolio loading was improved by adding the following columns: 1. New object title column 2. New column with information about the type of portfolio activation change. For each row, the value <b>Activated</b> , <b>Deactivated</b> , and <b>No-change</b> was added to the report. Note: This dataloader report is also provided for KBART and Elsevier Automated holdings file loading and will make it easier to identify which portfolios were changed during a load and what type of change was made.	SFX General User's Guide	lib/Admin/Tool/DataLoader.pm lib/DBLayer/ObjectPortfolioInventory.p m		SFX-5969
Enhancement	Front End - SFX Menu	Add INTERFACE_ID information to MultiObject Detailed XML response for every target included in the XML response.XML tag used: <interface_id>.	Developers Network at <a href="https://developers.exlibrisgroup.com/sfx/apis/Web_Services/OpenURL">https://developers.exlibrisgroup.com/sfx/apis/Web_Services/OpenURL</a> > Output > 3. Multi object detailed XML	lib/SFXMenu/Output/MultiObjDetailedXML.pm		SFX-6127

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	SFX Menu - SFX Multi object menu	<p>Move the configuration of the Multi-object menu from the <code>config/multi_object.config_file</code> to a new section in SFX Admin Center &gt; Set-up &amp; Administration &gt; Menu configuration. This change requires significant changes in SFX template files. To reduce the risk of broken functionality in case of customer localizations to templates, a new template will be introduced with the new option, called Multi-object menu V.2. In the new template:</p> <ol style="list-style-type: none"> <li>1. All wording can be changed via the Translations &amp; Display section of the SFX Admin Center.</li> <li>2. A new option is available to choose the type of objects to be shown (all or active) (see enhancement description below). To start using the new template, go to the Multi-object configuration section in SFX Admin Center &gt; Set-up &amp; Administration &gt; Menu configuration.</li> </ol>	SFX General User's Guide	<p> <code>db/sqltab/CONTROL.tab</code>  <code>lib/MultiObject/Engine.pm</code>  <code>templates/sfxctrl/custom/general_configuration.tpl</code>  <code>templates/sfxctrl/custom/simplified_and_mobile_configuration.tpl</code>  <code>templates/sfxctrl/custom/multi_object.tpl</code>  <code>sfxadmin/custom.cgi</code>  <code>templates/sfxctrl/custom/custom.tpl</code>  <code>lib/ContextObject/Engine/OpenURL.pm</code>  <code>lib/SFXMenu/Base.pm</code> </p>		SFX-6040

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	SFX Menu - SFX Multi object menu	<p>Add new option in Multi object menu to initially show only active objects - with option to 'Expand my results' to view the complete list of objects. This option is available only when using the new Multi-object menu template V2 (and available in both regular multi object window and mobile version).</p> <p>Settings: For new SFX installations, this option will be 'on' by default. For existing customers, the option will be 'off' by default.</p>	SFX General User's Guide	<p>db/sqltab/CONTROL.tab lib/MultiObject/Engine.pm templates/sfxctrl/custom/general_configuration.tpl templates/sfxctrl/custom/simplified_and_mobile_configuration.tpl</p> <p>templates/sfxctrl/custom/multi_object.tpl sfxadmin/custom.cgi templates/sfxctrl/custom/custom.tpl</p> <p>lib/ContextObject/Engine/OpenURL.pm lib/SFXMenu/Base.pm</p> <p>templates/multiobject_v2/mobile/head.tpl templates/multiobject_v2/mobile/main.tpl templates/multiobject_v2/mobile/tail.tpl</p> <p>templates/multiobject_v2/mobile/new_openurl.tpl templates/multiobject_v2/head.tpl templates/multiobject_v2/main.tpl templates/multiobject_v2/tail.tpl</p>		SFX-5968
Enhancement	Utilities - Server Admin Util	Add the gzip option for archive files in the Statistics > offline2file task.	SFX System administrator guide > Statistics > Online2Offline	<p>admin/stats/offline2file.pl admin/stats/file2offline.pl admin/server_admin_util</p>		SFX-6125

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Enhancement	Utilities - Task Manager	<p>Add the Task Manager option to run tasks on a specific day in the year, for example, to allow running the offline2file job twice a year. The following frequency parameter can be used to define such dates in the following format:</p> <p>specific_dates_&lt;MMM-DD&gt;.</p> <p>It is possible to specify more than one date by using comma as a delimiter, For example,</p> <p>specific_dates_jan-12,mar-24,may-22.</p> <p>The task manager was also adapted to display these new types of scheduled tasks in the Frequency and Next Scheduled Run columns.</p>	SFX System Administrator Guide > Task Manager	lib/Admin/TaskManager/TaskCreator.p m  lib/CentralJobManagement/ConfigUtil. pm  lib/CentralJobManagement/ProblematicJobs.pm  lib/Admin/TaskManager/ScheduledTasks.pm  lib/Admin/TaskManager/UIParams.pm  lib/Admin/TaskManager/Task/Scheduled.ed.pm		SFX-6093
Defect	Back Office - Collection Tool	Fixed issue with running the Collection Tool if the Localization Tool scheduled tasks have been defined.		sfxadmin/collection2.cgi	206847	SFX-6122
Defect	Back Office - General (SFX)	Improve the threshold validation in KBManager to detect parsedDate thresholds with empty operators, such as: \$obj->parsedDate("",1998,18,1).		lib/MetaData/Validator/Threshold.pm		SFX-5662
Defect	Back Office - KBManager	New validation was added to ensure author information can be added only for monograph type of objects in the SFX Admin Center > KBManager > Add/Edit Object window. For Serial types of objects, adding author information is not allowed.		lib/Admin/Object.pm		SFX-5625
Defect	Back Office - KBManager	Fixed the display issue in IE with target / subtarget display. The indent of the list of subtargets was too large when the plus sign (+) to display the list of subtargets was clicked.		templates/sfxctrl/target/list.htm		SFX-5073

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	Back Office - KBManager	Improve the display of ISBN information in KBManager, in pages where only one ISBN is shown (for example, in the List of Objects page). Sometimes an incorrect ISBN or ISBN without hyphens was chosen for display, instead of another ISBN also available for the object. This problem was fixed.		lib/DBLayer/ObjectIdentifiers.pm		SFX-6075
Defect	Back Office - KBManager	Solved the problem updating object title information in KBManager for non-Latin titles, if no language is specified in KB_TITLE.TITLE_LANGUAGE column for a specific object title. This problem has been fixed: updating titles is allowed for all objects, but the language of a local title should be same as global title.		lib/DBLayer/Title.pm		SFX-6091
Defect	Back Office - OpenURL generator	There were a few Apache error messages due to uninitialized values. The initialization for the fields was fixed.		lib/Admin/KBManager/Output/header.p m		SFX-6142
Defect	Back Office - Proxy configuration	Solved problem with adding new local proxy configuration in the SFX installation and using it in the SFX Admin Center. If a new proxy perl module was added in the proxy directory, it does not automatically appear in the list of proxies in the SFX Admin Center > Proxy configuration section, because the list of proxies is hardcoded. This problems was fixed.		sfxadmin/custom.cgi templates/sfxctrl/custom/proxy_add_e dit.tpl templates/js/jquery/plugin/jquery.valida te.min.js		SFX-5565

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	Back Office - SFXAdmin - General	Fixed problems with links in the top navigation section of the SFX Admin Center.		lib/Admin/KBManager/Output/header.p m lib/Admin/LocalizationTool/CGI.pm templates/sfxctrl/admincenter.html templates/sfxctrl/topMenu.tpl templates/sfxctrl/institute_setup/list_he ad.tpl templates/sfxctrl/task_manager/head.t mpl templates/css/sfx_admin.css templates/js/jquery/plugin/jquery.bootg rid- 1.3.0/jquery.bootgrid.localization.css		SFX-6103
Defect	Back Office - Statistics	Solved the problem when scheduling a statistics query via cron with multiple IP address exclusions. Only the first IP is excluded. This issue was fixed.		admin/stats/main.pl		SFX-2842
Defect	Back Office - Task Manager	Fixed the warnings in Apache error log for some cases of the View and Edit task options in Task Manager UI.		lib/Admin/TaskManager/UIParams.pm lib/Admin/TaskManager/ScheduledTas ks.pm		SFX-5920
Defect	BO KB Tools - Marcit!Tool	Solved the problem in MARCIt! with CJK data in MARC records.		/exlibris/aleph/a21_1/aleph/cgi/augme nt_sfx_ongoing_run.pl  /exlibris/aleph/a21_1/alephm/source/e xt/marc_encoding_workaround.pl  /exlibris/aleph/a21_1/alephm/source/e xt/marc_encoding_workaround.yaml	00163159, 00164978, 00166403, 00188048	SFX-5991

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	Central Job Manager	When cleaning log files for the Central Job Manager, there was no specific period of time defined to save older log files. This problem has been solved. A flag was added to save one month of Central Job Manager log information.		admin/filesystem/clean_dir.pl		SFX-6130
Defect	Ebsco API	Solved the problem with Ebsco API use of db_code information. The match between the parse_param db_code and EBSCO API response did not work well because of differences between upper and lower case values. This problem has been fixed by making the handling of db_code information not case sensitive.		lib/Parsers/PlugIn/Ebsco.pm lib/SFXMenu/ManagerAPI/Ebsco.pm	00194838, 00215149	SFX-6076
Defect	Front End - SFX Menu	Resolved the issue with the time-out for Z39.50 plugin not working. The Perl module used by the plugin ignored the timeout value. This problem was fixed.		lib/NetWrap/Z3950.pm	92802, 126642	SFX-5266
Defect	Front End - SFX Menu	Added German translations for the Broken Link report.		revision_maker/applsw/patch-pre-4.9.0-1.pl		SFX-5834
Defect	General - KBManager	Changed the KBManager behavior when defining institute specific activation for a target service. The default target service threshold is now copied when adding an institute from the target or target service page This was done to ensure that the Ebsco API plugin threshold is automatically copied for institute specific activation.		templates/sfxctrl/institute_edit/add.tmp   sfxadmin/institute_edit.cgi lib/DBLayer/TargetService.pm lib/Admin/KBManager/Institute.pm		SFX-6099

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	SFX Menu - SFX Menu	Fixed the following two issues with the direct link banner: 1. Problem with the display of the upper frame of the Direct Link Banner when embedded on a different domain page (for example, Primo) 2. Fixed the problem with the <b>view menu</b> link for a HTTPS setup. The link was fixed to point to HTTPS instead of a hardcoded HTTP.	Implementation instructions	templates/sfxmenu/mix_sfxmenu.tmpl	194772	SFX-6030
Defect	SFX Menu - SFX Menu	Solved the problem with emails from the <b>Report broken links</b> feature not being received for some SFX installations, where the email server has been configured to not allow emails to be sent by servers that do not have a DNS entry. This problem has been solved by adding two new parameters in the <code>config/mail.config_</code> file. Customers encountering this problem should specify the SFX server hostname in a new field called <code>mail_from</code> in the <code>mail.config_</code> file, while making sure that the hostname specified is accessible from outside the local network. Additionally, a new parameter called <code>override_from_value</code> should be set to 1 in the <code>mail.config_</code> file. This ensures that the <code>mail_from</code> configuration value is used, instead of the server hostname (used by default).	SFX System Administrator Guide	config/mail.config_ lib/NetWrap/Email.pm lib/CentralJobManagement/ConfigEmailSender.pm  revision_maker/applysw/patch-pre-4.9.0-5.pl revision_maker/applysw/add_mail_from.pl revision_maker/applysw/foreachinstance.pl config/exclude_from_pkg.config	167702, 171580, 184460, 185773, 198161	SFX-5892

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	SFX Menu - SFX Menu	Solved the problem with the library of congress target authors drop-down list not working in the advanced template for languages other than English. This issue was fixed.		templates/sfxmenu/services/getAuthor .tpl.sp templates/sfxmenu/services/getAuthor .tpl.du		SFX-5825
Defect	SFX Menu - SFX Menu	Changed the error message to clarify the case where SSL certificate files were not found.		admin/filesystem/ssl_config.pl		SFX-6109
Defect	Utilities - Revision Update	Solved the problem with SSL certificate files placed in sfxglb41/keys/ directory being copied during the Revision Update to the local instances. To solve this, the SSL documentation and configuration script were changed. The file names now have __ (two underscores) at the end to avoid being included in the Revision Update symbolic link creation process.	SFX System Administrator Guide	config/ssl.config.sample admin/filesystem/ssl_config.pl admin/filesystem/ssl_self_signed_cert.pl	219674	SFX-6199
Defect	Utilities - Server Admin Util	Fixed the problem with Copy DB functionality when using the option --withstats.		admin/database/copy_db.pl		SFX-6178
Defect	Utilities - Server Admin Util	Improved the wording for the incremental RSI build in the ServerAdmin Utility.	SFX System Administrator Guide	admin/server_admin_util		SFX-6080
Defect	Utilities - Server Admin Util	Solved the problem with the Central Maintenance Job cleanup_logs leaving instance Apaches logging to /dev/null. This issue has been fixed by ensuring that subfolders are not cleaned if they are marked as NODESCEND. Only the folder itself is cleaned.		admin/filesystem/clean_dir.pl	201748	SFX-6101
Defect	Utilities - Server Admin Util	Solved the problem during the Elsevier Automated holdings file loading. If the DataLoader sent an exit command, the process crashed. This issue was fixed.		lib/Automation/Loader.pm  lib/Automation/BuisnessLogic/Elsevier SDUtilManager.pm		SFX-6180

Issue Type	Component/s	Summary	Documentation Required	Changed Files	SF Case	Key
Defect	Utilities - Task Manager	Fixed the problem in case of missing email addresses in the Task Manager. The code executed a "die" command which terminated the UI, instead of handling the problem with a proper error message.		sfxadmin/stats_scheduler.cgi templates/sfxctrl/stats/output.tpl templates/sfxctrl/stats/filters.tpl templates/js/stats/main.js  templates/sfxctrl/stats/Query_head.t mpl templates/sfxctrl/stats/list_head.tpl  templates/sfxctrl/stats/popup_head.t mpl  templates/sfxctrl/stats/scheduler_ form. tpl		SFX-5982

# Implementation Instructions

The following issues were fixed with the SFX menu direct link banner:

1. Fixed the problem with the display of the upper frame of the Direct Link Banner when embedded in a different domain page (for example, Primo).
2. Fixed the problem with the **view menu** link in case of HTTPS setup. The link was fixed to point to HTTPS instead of a hardcoded HTTP.

If the symbolic link was broken to in the local SFX instances to the sfxglb41 instances, it is recommended to make the following manual changes to benefit from these fixes.

**File: templates/sfxmenu/mix\_sfxmenu.tmpl**

**Find the following line:**

```
top.document.location = url;
```

**Replace it with the following:**

```
self.document.location = url;
```

**Find the following line:**

```
var tm = top.topmenu.document;
```

**Replace it with the following:**

```
var tm = self.topmenu.document;
```

**Find the following line:**

```
tm.write('<a target="_top" href="'+<TMPL_VAR NAME="OPENURL" ESCAPE="HTML">'+&disable_directlink=true&sfx.directlink=off<TMPL_VAR FLAG_REPORT_BROKEN_LINK>">view menu</a>');
```

**Replace it with the following:**

```
tm.write('<a target="_top" href="'+document.location+'&disable_directlink=true&sfx.directlink=off<TMPL_VAR FLAG_REPORT_BROKEN_LINK>">view menu</a>');
```

# Changed KB Software

Type of Change	Component	Description	Solution	File List
Correction	TargetParser	Update the OXFORD::Reference target parser.	The target parser was updated to support additional linking syntax in Oxford Reference.	lib/Parsers/TargetParser/OXFORD/Reference.pm
Correction	TargetParser	Remove the unnecessary title in the ProQuest Dissertations target.	Linking to ProQuest Dissertations was improved.	lib/Parsers/TargetParser/PROQUEST/Diss.pm
Correction	TargetParser	Remove issue level linking from Scielo.	Issue level linking was removed from Scielo, since it is not available in a openURL predictable format.	lib/Parsers/TargetParser/SCIELO/SCIELO.pm

# New Targets and Target Services

Target Name	Description	Target Service	Linking Level	For More Information
AIAA_AEROSPACE_RESEARCH_CENTRAL_JOURNALS_ARCHIVE	The AIAA was formed through the merger of the American Rocket Society and the Institute of the Aerospace Sciences. This collection is the content published by those two societies (1930–1962).	getFullTxt	ARTICLE_DOI	For more information: <a href="http://arc.aiaa.org">http://arc.aiaa.org</a>
CAIRN_POCKET_ENCYCLOPEDIAS_GENERAL	French language Pocket Encyclopedias.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_POLITICAL_SCIENCE_LAW	French language Pocket Encyclopedias in the field of Political Science and Law.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_ECONOMY_MANAGEMENT_FINANCE	French language Pocket Encyclopedias in the field of Economy, Management, and Finance.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_SOCIOLOGY_ETHNOLOGY_DEMOGRAPHY	French language Pocket Encyclopedias in the field of Sociology, Ethnology, and Demography.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_TECHNICAL_AND_MEDICAL_SCIENCES	French language Pocket Encyclopedias in the field of Technical and Medical Sciences.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_PSYCHOLOGY	French language Pocket Encyclopedias in the field of Psychology.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_PHILOSOPHY_RELIGION	French language Pocket Encyclopedias in the field of Philosophy and Religion.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_LITERATURE_LINGUISTICS	French language Pocket Encyclopedias in the field of Literature and Linguistics.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>

Target Name	Description	Target Service	Linking Level	For More Information
CAIRN_POCKET_ENCYCLOPEDIAS_HISTORY_GEOGRAPHY_ART	French language Pocket Encyclopedias in the field of History, Geography, and Art.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>
CAIRN_POCKET_ENCYCLOPEDIAS_SOCIAL_MATTERS	French language Pocket Encyclopedias in the field of Social Matters.	getFullTxt	BOOK	For more information: <a href="http://www.cairn.info/a-propos.php">http://www.cairn.info/a-propos.php</a>