

Tables added for Voyager 9.2.0 (updated through script 028)

Table Name	Columns	Purpose
Marc_field_order_config	Config_id number(32) not null Name varchar2(200) not null Description varchar2 (500) Update_date date Operator_id varchar2(10) Pair_880_fields char(1)	Used to MARC field order configurations used to Cataloging and GDC.
Marc_field_order_sort_group	Group_id number(38) not null Config_id number(38) not null Group_position number(38) not null Match_expression varchar2(200) not null	Used to store groupings of MARC tags that are part of a marc_field_order_config.
Marc_field_order_sort_rule	Group_id number(38) not null Rule_id number(38) not null Rule_position number(38) not null Rule_parameter varchar2(200)	Use to store sort rules to apply against a marc_field_order_sort.
Marc_field_order_rules	Rule_id number(38) not null Name varchar2(200) not null Rule_imp_class varchar2(200) not null Repeatable char(1) Has_parameter char(1) Parameter_label varchar2(50) Parameter_type varchar2(10)	Stores available sort rules to apply in a marc_field_order_sort_rule.
RDA_codes	Type varchar2(20) Subfield_A varchar2(50) Subfield_B varchar2(50)	Store RDA codes used for displaying RDA data in search results.
Job_result_record	Id number(38) not null Gdc_job_id number(38)	Stores MARC records that are the result of

	not null job_file_type number(38) not null bulk_num number(38) not null status number(38) not null marc_record blob not null	processing by GDC; primarily for AuthLoad problem resolution.
Job_result_record_message	Job_result_record_id number(38) not null message varchar2(2000) id number(38) not null	Stores messages associated with records stored in JOB_RESULT_RECO RD table.

#### Columns Added for Voyager 9.2.0

Table.column	Type
Rule_doc.parameter_ptr	clob
Operator.restrict_password_change	Char(1)
Bib_text.rda_media	Varchar2(250)
Bib_text.rda_content	Varchar2(250)
Bib_text.rda_carrier	Varchar2(250)
Dup_detection_profile.rda_formats	Varchar2(3)
Searchparm.rda_formats	Varchar2(3)
Rollover_rules.copy_notes	Char(1) default 'N'
Acq_profile.component_delete	Char(1) default 'N'
Job_result_record.operator_id	Varchar2(10)
Cat_profile.bib_overlay	Char(1) default 'N'
Cat_control_multi_items.pieces_subfield	Char(1)
Cat_control_multi_items.charge_note_subfield	Char(1)
Cat_control_multi_items.caption_subfield	Char(1)
Cat_control_multi_items.free_text_subfield	Char(1)
Cat_control_multi_items.price_subfield	Char(1)
Cat_control_multi_items.shelving_cntl_nbr_subfield	Char(1)
Cat_control_multi_items.shelving_frm_of_ttl	Char(1)
Cat_control_multi_items.call_nbr_prefix_subfield	Char(1)
Cat_control_multi_items.call_nbr_suffix_subfield	Char(1)
Cat_control_multi_items.non_public_note_subfield	Char(1)
Cat_control_multi_items.public_note_subfield	Char(1)
Cat_control_multi_items.piece_designation_subfield	Char(1)
Cat_control_multi_items.copy_number_subfield	Char(1)
Cat_control_multi_items.copy_number_method	Number(38) default 1
Cat_control_multi_items.copy_number_start	Number(38) default 0
Cat_control_multi_items.mfhd_copy_number_subfield	Char(1)

#### Columns Modified for Voyager 9.2.0

Table.column	Type
None	

Columns Dropped for Voyager 9.2.0

Table.column	Type
None	